

US00D847659S

(12) **United States Design Patent** (10) **Patent No.:** **US D847,659 S**
Suzuki (45) **Date of Patent:** **** May 7, 2019**

(54) **LIQUID CONTAINER**

(71) Applicant: **GC Corporation**, Shizuoka (JP)

(72) Inventor: **Takumi Suzuki**, Tokyo (JP)

(73) Assignee: **GC Corporation**, Shizuoka (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/625,254**

(22) Filed: **Nov. 8, 2017**

(30) **Foreign Application Priority Data**

May 29, 2017 (JP) 2017-011444

(51) **LOC (11) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/724**

(58) **Field of Classification Search**

USPC D9/442, 695-699, 702-714, 723-729;
D24/199; D28/7; 132/317, 318, 320;
222/95, 207, 212, 335; D27/157, 160
CPC A45D 34/00; A45D 40/00; B65D 81/3272
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|--------------|---------|------------------|---------|
| D208,047 S | 7/1967 | Brophy | |
| D223,804 S * | 6/1972 | Kusek | D9/556 |
| D231,708 S * | 5/1974 | Kenney | D27/160 |
| D263,795 S * | 4/1982 | Pagels | D24/121 |
| D390,786 S * | 2/1998 | Saunders | D9/551 |
| 6,116,477 A | 9/2000 | Kreiseder et al. | |
| D451,392 S | 12/2001 | Kitamura et al. | |
| D538,967 S * | 3/2007 | Chuang | D27/143 |
| D609,964 S | 2/2010 | Lane | |
| D641,241 S | 7/2011 | Goto et al. | |
| D661,945 S | 6/2012 | Eyal | |
| D663,891 S * | 7/2012 | Cohen Harel | D27/157 |
| D686,871 S | 7/2013 | Lane | |

| | | |
|------------|---------|----------------|
| D686,872 S | 7/2013 | Lane |
| D748,477 S | 2/2016 | Herbst et al. |
| D758,790 S | 6/2016 | Boroski |
| D759,485 S | 6/2016 | Boroski et al. |
| D775,951 S | 1/2017 | Wang |
| D780,578 S | 3/2017 | Lane et al. |
| D782,908 S | 4/2017 | Bentkovski |
| D785,402 S | 5/2017 | Shirley et al. |
| D794,453 S | 8/2017 | Boroski et al. |
| D801,172 S | 10/2017 | Bentkovski |
| D817,088 S | 5/2018 | Shirley |
| D818,767 S | 5/2018 | Nezu |

(Continued)

Primary Examiner — Derrick E Holland
Assistant Examiner — Janice Patyk
(74) *Attorney, Agent, or Firm* — IPUSA, PLLC


(57) **CLAIM**

The ornamental design for a liquid container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a liquid container, showing our new design;
FIG. 2 is a perspective view thereof, shown with the cap in opened condition;
FIG. 3 is an exploded perspective view thereof;
FIG. 4 is a front view thereof shown, with the cap in opened condition;
FIG. 5 is a front view thereof;
FIG. 6 is a rear view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom view thereof;
FIG. 9 is a right side view thereof;
FIG. 10 is a left side view thereof; and,
FIG. 11 is an exploded cross-section view thereof, taken along the line 11-11 of FIG. 7.
The broken lines in the figures illustrate the portions of the design that form no part of the claimed design.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------------|--------|-------------|----------------------------------|
| D819,395 S | 6/2018 | Yu | |
| 10,034,564 B2 | 7/2018 | Sims | |
| D827,769 S | 9/2018 | Brill | |
| 2002/0108965 A1 | 8/2002 | Hill et al. | |
| 2013/0189018 A1* | 7/2013 | Choi | A45D 34/042 401/269 |
| 2014/0197205 A1* | 7/2014 | Kim | B05B 11/3097 222/153.13 |

* cited by examiner




Fig. 1




Fig. 2





Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11