



US00D856730S

(12) **United States Design Patent**
Pisarevsky

(10) **Patent No.:** **US D856,730 S**

(45) **Date of Patent:** **** Aug. 20, 2019**

(54) **COMBINATION PORTABLE BEVERAGE
BREWER AND INSULATING BEVERAGE
CONTAINER**

(71) Applicant: **Arie Pisarevsky**, Montreal (CA)

(72) Inventor: **Arie Pisarevsky**, Montreal (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/610,835**

(22) Filed: **Jul. 17, 2017**

(51) **LOC (12) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/300; D7/507; D7/399**

(58) **Field of Classification Search**
USPC D7/507, 397, 399, 400, 306, 300, 510,
D7/511, 313; 99/295
CPC .. A47J 31/44; A47J 31/02; A47J 31/16; A47J
31/005

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D49,991	S	*	12/1916	Cordley	D7/300
2,414,901	A	*	1/1947	Schlumbohm	A47J 45/08
						215/396
2,414,902	A	*	1/1947	Schlumbohm	A47J 45/08
						210/470
3,266,411	A	*	8/1966	Oakley	A47J 31/446
						210/474
3,276,655	A	*	10/1966	Manheim	B01D 29/085
						229/400
D217,381	S	*	4/1970	Douglas	210/473
4,419,232	A	*	12/1983	Arntyr	E03C 1/262
						210/164
5,775,205	A	*	7/1998	Melton	A47G 19/16
						99/322
D557,977	S	*	12/2007	Neace	D7/397
D560,097	S	*	1/2008	Shen	D7/300
D606,805	S	*	12/2009	Neace	D7/399

7,858,133	B2	*	12/2010	Neace, Jr.	A47J 31/16
						210/219
D695,064	S	*	12/2013	Seymour	D7/300
D695,065	S	*	12/2013	Seymour	D7/300
D742,160	S	*	11/2015	Bodum	D7/316
D750,935	S	*	3/2016	Cook	D7/399
D766,655	S	*	9/2016	Neace, Jr.	D7/397
9,516,974	B2	*	12/2016	Herling	A47J 31/18
9,681,771	B2	*	6/2017	Herling	A47J 31/18
D823,034	S	*	7/2018	Cailleton	D7/300
D823,049	S	*	7/2018	Neace, Jr.	D7/399
D828,093	S	*	9/2018	Chitayat	D7/507
D832,058	S	*	10/2018	Pisarevsky	D7/608

(Continued)

Primary Examiner — Marianne N Pandozzi

(57) **CLAIM**

The ornamental design for a combination portable beverage brewer and insulating beverage container, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the combination portable beverage brewer and insulating beverage container showing my new design;

FIG. 2 is a side view thereof;

FIG. 3 is an exploded view thereof;

FIG. 4 is a perspective view thereof;


FIG. 5 is a top view of the combination portable beverage brewer and insulating beverage container with the air hole in an open position;

FIG. 6 is a top view of the combination portable beverage brewer and insulating beverage container with the air hole in a closed position; and,

FIG. 7 is a bottom view of the combination portable beverage brewer and insulating beverage container.

The broken lines shown in the drawing depict portions of the combination cold brew coffee maker and insulating drinking container that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0148955 A1* 6/2008 Neace A47J 31/002
99/279
2014/0124435 A1* 5/2014 Jackson A47J 31/0689
210/473
2014/0174965 A1* 6/2014 Herling A47J 31/18
206/216
2016/0360918 A1* 12/2016 Chen A23F 3/18
2017/0181565 A1* 6/2017 Nam A47J 31/06
2018/0055272 A1* 3/2018 Sachtleben A47J 31/06

* cited by examiner




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7