



US00D865184S

(12) **United States Design Patent**
Dorsey

(10) **Patent No.:** **US D865,184 S**
(45) **Date of Patent:** **** Oct. 29, 2019**

- (54) **POSTURE BRACE**
- (71) Applicant: **Joshua Dorsey**, Dublin, OH (US)
- (72) Inventor: **Joshua Dorsey**, Dublin, OH (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/629,030**
- (22) Filed: **Dec. 11, 2017**
- (51) **LOC (12) Cl.** **24-01**
- (52) **U.S. Cl.**
USPC **D24/190**
- (58) **Field of Classification Search**
USPC D24/188-192; D8/349, 354
CPC A61H 3/00; A61H 2201/165; A61H
2201/1215; A61H 2201/1642; A61H
3/008; A63B 23/025; A63B 21/4003;
A63B 23/0211; A63B 2225/09; A63B
2023/006; A61B 17/8685; A61B 17/746;
A61B 17/68; A61B 17/744; A61B 34/20;
A61B 17/8625; A61B 17/869
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,010,744 A * 3/1977 Boyen A61F 5/3715
602/36
- 4,278,249 A * 7/1981 Forrest A63B 23/025
482/10
- 5,582,585 A * 12/1996 Nash-Morgan A45D 44/22
428/343
- 5,807,220 A * 9/1998 Allis A63B 23/0211
482/131
- 5,868,691 A * 2/1999 Vishnevsky A61F 5/026
128/845
- 5,871,485 A * 2/1999 Rao A61B 17/746
606/65
- D407,474 S * 3/1999 Sage D23/314

- 6,360,901 B1 * 3/2002 Parham A47F 7/285
211/162
- 6,799,569 B2 * 10/2004 Danielsson A61B 6/0421
128/97.1
- D500,138 S * 12/2004 Urban D24/190
- D513,438 S * 1/2006 McNeice D24/188
- D523,961 S * 6/2006 Weber D24/190
- D647,152 S * 10/2011 Sibley D21/679
- D685,484 S * 7/2013 Brambilla D24/190
- 8,480,543 B1 * 7/2013 Leier A63B 23/025
482/51
- 8,840,528 B2 * 9/2014 Zylstra A63B 21/0442
482/10
- 9,498,675 B2 * 11/2016 Walworth A63B 23/025
- 10,118,526 B1 * 11/2018 Fan B60N 2/882
- D845,492 S * 4/2019 Sudell D24/190
- D845,493 S * 4/2019 Sudell D24/190

(Continued)

Primary Examiner — Jennifer L Watkins
(74) *Attorney, Agent, or Firm* — Dunlap Bennett &
Ludwig PLLC


(57) **CLAIM**

The ornamental design for a posture brace, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a posture brace, showing my new design;
 FIG. 2 is a front elevation view of FIG. 1, the rear elevation view being a mirror image thereof;
 FIG. 3 is a left side elevation view of FIG. 1, the right side elevation view being a mirror image thereof; and,
 FIG. 4 is a top plan view of FIG. 1, the bottom plan view being a mirror image thereof.
 The broken lines shown in the drawings depict portions of the posture brace that form part of the claimed design.
 The posture brace is shown with symbolic breaks in its length. The appearance of any portion of the article between the break lines forms not part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D845,494 S * 4/2019 Sudell D24/190
10,271,660 B2 * 4/2019 Gunura A47C 9/025
D851,263 S * 6/2019 Thompson D24/190

* cited by examiner




FIG. 1



FIG. 2



FIG. 3




FIG. 4