



US00D896196S

(12) **United States Design Patent** (10) **Patent No.:** **US D896,196 S**
Andersen et al. (45) **Date of Patent:** **** Sep. 15, 2020**

(54) **TELECOMMUNICATION FLASHING DEVICE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **SORENSEN IP HOLDINGS LLC**,
Salt Lake City, UT (US)

EM 002218628-0011 * 8/2013
EM 003058791-0002 * 4/2016

(72) Inventors: **Michael Andersen**, Springville, UT (US); **Bryce Twede**, Provo, UT (US); **David Lance Pickett**, Eagle Mountain, UT (US); **Brett Thelin**, Herriman, UT (US)

OTHER PUBLICATIONS

Detector, (C) 2014 [online], [retrieved Apr. 29, 2020], <https://www.amazon.co.uk/Battery-Detector-Wireless-Interlinkable-Photoelectric/dp/B07WVBX3R1/ref=sr_1_61?crd=2XVBAH96YUSOE&dchild=1&keywords=smoke+detector&qid=1588195449&sprefix=smoke+dete%2Caps%2C322&sr=8-61&swrs=6B80CF7D963B778CA185FB3801F89F2E> (Year: 2014).*

(**) Term: **15 Years**

Primary Examiner — Barbara Fox
Assistant Examiner — Aram Kwon

(21) Appl. No.: **29/674,326**

(22) Filed: **Dec. 20, 2018**

(51) **LOC (12) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/130**; D14/472; D14/473

(58) **Field of Classification Search**
USPC D14/130, 204, 209, 210, 215, 216
CPC .. G10K 13/00; G10K 9/13; H01F 1/03; H01F 3/10; H01F 7/0289

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a telecommunication flashing device, as shown and described.

(56) **References Cited**

DESCRIPTION


U.S. PATENT DOCUMENTS

D342,808	S	*	12/1993	Bakic	D28/82
D391,943	S	*	3/1998	Han	D14/356
D391,944	S	*	3/1998	Han	D14/356
D494,633	S	*	8/2004	Nussberger	D21/324
D510,571	S	*	10/2005	Cutler	D14/125
D524,282	S	*	7/2006	Beasley	D13/108
D533,799	S	*	12/2006	Thalhammer	D10/106.1
D546,812	S	*	7/2007	Hirose	D14/511
D643,412	S	*	8/2011	Brady	D14/218
D656,980	S	*	4/2012	Liao	D14/217
D698,755	S	*	2/2014	Miyawaki	D14/216
D704,177	S	*	5/2014	Chun	D14/240
D711,345	S	*	8/2014	Liu	D14/140
8,824,640	B1		9/2014	Winsor et al.		
D724,786	S	*	3/2015	Jung	D28/82
8,976,940	B2		3/2015	Maxwell et al.		
D752,024	S	*	3/2016	Kachwalla	D14/216

(Continued)

FIG. 1 is a perspective view of a telecommunication flashing device showing our new design;
FIG. 2 is a front side view of the telecommunication flashing device shown in FIG. 1;
FIG. 3 is a back side view of the telecommunication flashing device shown in FIG. 1;
FIG. 4 is a right side view of the telecommunication flashing device shown in FIG. 1;
FIG. 5 is a left side view of the telecommunication flashing device shown in FIG. 1;
FIG. 6 is a top view of the telecommunication flashing device shown in FIG. 1; and,
FIG. 7 is a bottom view of the telecommunication flashing device shown in FIG. 1.
The broken lines in FIGS. 1-7 are for environmental purposes only and do not form any part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D784,963	S	*	4/2017	Saule	D14/228
D802,589	S	*	11/2017	Fisher	D14/358
D803,191	S	*	11/2017	Luo	D14/216
D816,052	S	*	4/2018	Pallakoff	D14/137
D821,361	S	*	6/2018	Shoda	D14/221
D823,919	S	*	7/2018	Persson	D16/203
D832,264	S	*	10/2018	Kim	D14/434
D844,593	S	*	4/2019	Bould	D14/240
D846,418	S	*	4/2019	Yang	D10/106.8
D855,567	S	*	8/2019	Cai	D13/108
D856,298	S	*	8/2019	Border	D14/150
D860,168	S	*	9/2019	Yang	D14/216
D872,015	S	*	1/2020	Choi	D13/108
D873,807	S	*	1/2020	Bould	D14/240
D875,085	S	*	2/2020	Sahlin	D14/228
D876,400	S	*	2/2020	Russo	D14/228

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7