



US00D901995S

(12) **United States Design Patent**
Kane et al.

(10) **Patent No.:** **US D901,995 S**

(45) **Date of Patent:** **** Nov. 17, 2020**

(54) **LAWN REPAIR DEVICE**
(71) Applicant: **Seedrator, LLC**, Cedar Falls, IA (US)
(72) Inventors: **Ronald Kane**, Cedar Falls, IA (US);
Jason Nadeau, White Bear Lake, MN (US); **Jordan Nadeau**, St. Louis Park, MN (US)
(73) Assignee: **Seedrator, LLC**, Cedar Falls, IA (US)
(**) Term: **15 Years**

8,087,469 B1 * 1/2012 Bugeja E21B 11/00
172/22
D668,920 S * 10/2012 Sandoval D8/1
D706,103 S * 6/2014 Jonsson D8/14
D718,991 S * 12/2014 Jaskiewicz D8/1

(Continued)

Primary Examiner — Sheryl Lane
Assistant Examiner — Calvin E Vansant
(74) *Attorney, Agent, or Firm* — DuFault Law Firm, P.C.;
Dustin R. DuFault

(21) Appl. No.: **29/643,321**
(22) Filed: **Apr. 6, 2018**
(51) **LOC (12) Cl.** **08-01**
(52) **U.S. Cl.**
USPC **D8/1**
(58) **Field of Classification Search**
USPC D8/1, 2; D21/789
CPC .. A01B 1/14; A01B 1/24; A63B 57/50; A01C
5/00; A01C 5/02; A01C 7/02
See application file for complete search history.


(57) **CLAIM**
We claim the ornamental design for a lawn repair device,
substantially as shown and described.

DESCRIPTION

(56) **References Cited**
U.S. PATENT DOCUMENTS
D236,939 S * 9/1975 Piel D8/2
D302,512 S * 8/1989 Slayton D8/7
D306,247 S * 2/1990 Shields D8/1
5,131,570 A * 7/1992 Sawyer A01C 5/02
111/92
5,277,425 A * 1/1994 Petriano, Sr. A01B 1/14
172/381
D423,889 S * 5/2000 Heffner D8/1
D438,435 S * 3/2001 Whyte D8/1
6,412,568 B1 * 7/2002 Thede A01D 34/84
172/13
7,198,113 B1 * 4/2007 Schoppe A01B 1/24
172/22
D541,606 S * 5/2007 Griffin D8/1
D560,982 S * 2/2008 Hammond, Sr. D8/7

FIG. 1 is a cut-away perspective view of a distal end of a lawn repair device in accordance with the present design. FIG. 2 is a cut-away left-side view of a distal end of a lawn repair device in accordance with the present design. FIG. 3 is a cut-away right-side view of a distal end of a lawn repair device in accordance with the present design. FIG. 4 is a cut-away front view of a distal end of a lawn repair device in accordance with the present design. FIG. 5 is a cut-away rear view of a distal end of a lawn repair device in accordance with the present design. FIG. 6 is a bottom view a lawn repair device in accordance with the present design. FIG. 7 is top view of a lawn repair device in accordance with the present design. FIG. 8 is a rear view of a lawn repair device in accordance with the present design; and, FIG. 9 is a right-side view of a lawn repair device in accordance with the present design. The dashed broken lines shown on FIG. 1 represent the boundary of the claim and form no part of the claim. The dashed broken lines on FIGS. 2, 3, and 5 depict portions of the lawn repair device that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D833,572	S *	11/2018	Wu	D23/213
D845,093	S *	4/2019	Magana	D8/1
D860,297	S *	9/2019	Brooks	D16/242
2004/0048694	A1 *	3/2004	Swensen	A01B 1/24
					473/408
2012/0181088	A1 *	7/2012	Tucceri	A01C 5/02
					175/394
2017/0042079	A1 *	2/2017	Harris	A01C 5/02

* cited by examiner




FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9