

US00D963458S

(12) **United States Design Patent**  
**Bast et al.**

(10) **Patent No.:** **US D963,458 S**

(45) **Date of Patent:** **\*\* Sep. 13, 2022**

(54) **HANDLE**

(71) Applicant: **Gauthier Biomedical, Inc.**, Grafton, WI (US)

(72) Inventors: **Robert Bast**, Sheboygan, WI (US);  
**Kyle Berndt**, Milwaukee, WI (US)

(73) Assignee: **Gauthier Biomedical, Inc.**, Grafton, WI (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/672,766**

(22) Filed: **Dec. 8, 2018**

(51) **LOC (13) Cl.** ..... **08-06**

(52) **U.S. Cl.**  
USPC ..... **D8/310**; D8/321

(58) **Field of Classification Search**

USPC ..... D8/107, 300, 301, 307, 310, 311, 312;  
D23/250, 421; D7/393, 394, 396, 402,  
D7/406, 543, 545, 547, 548  
CPC ... Y10T 292/57; Y10T 292/82; Y10T 16/469;  
Y10T 16/44; Y10T 16/476; Y10T  
74/2084; Y10T 292/85; Y10T 74/2087;  
Y10T 16/4713; Y10T 16/506; Y10T  
74/20876; Y10T 74/20612; Y10T  
70/5765; Y10T 16/459; Y10T 74/2066;  
Y10T 16/487; Y10T 74/20822  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D19,213 S \* 7/1889 Creteau ..... D3/12  
1,691,923 A \* 11/1928 Eklund ..... G05G 1/06  
16/441  
1,761,898 A \* 6/1930 Turk ..... G05G 1/06  
16/441  
D214,981 S \* 8/1969 Nelson ..... D12/607

D261,223 S \* 10/1981 Scholl ..... D8/310  
D276,746 S \* 12/1984 Hill ..... 16/DIG. 12  
D285,699 S \* 9/1986 Leopoldi ..... D16/135  
D386,063 S 11/1997 Badiali  
D400,422 S \* 11/1998 Dennison ..... D8/305  
D426,137 S \* 6/2000 Ball ..... D12/179  
D456,686 S 5/2002 Holland-Letz  
D459,646 S \* 7/2002 Bertani ..... D8/310  
D482,590 S 11/2003 Lisle et al.  
D484,387 S 12/2003 Hsiao  
6,679,363 B1 1/2004 Marchant  
D493,527 S 7/2004 Szabo  
D510,248 S 10/2005 Liu  
6,997,084 B1 2/2006 Gao et al.

(Continued)

*Primary Examiner* — Lauren R Calve

(74) *Attorney, Agent, or Firm* — Boyle Fredrickson, SC


(57) **CLAIM**

The ornamental design for a handle, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a first embodiment of a handle incorporating my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a left side elevation view thereof, the right side elevation view being a mirror image thereof;  
FIG. 5 is a front elevation view thereof;  
FIG. 6 is a rear elevation view thereof;  
FIG. 7 is an isometric view of a second embodiment of a handle incorporating my new design;  
FIG. 8 is a top plan view thereof;  
FIG. 9 is a bottom plan view thereof;  
FIG. 10 is a left side elevation view thereof, the right side elevation view being a mirror image thereof;  
FIG. 11 is a front elevation view thereof; and,  
FIG. 12 is a rear elevation view thereof.  
The broken lines shown represent portions of the handle that form no part of the claimed design

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D551,530	S	9/2007	Hirsch	
D569,210	S	5/2008	Chien	
D575,132	S	8/2008	Panier	
7,926,390	B2	4/2011	Bennett	
D655,002	S	2/2012	Bast et al.	
D686,899	S	7/2013	Lin	
D716,629	S	11/2014	Suter	
9,027,219	B2	5/2015	Gauthier et al.	
D756,819	S *	5/2016	Dabrowski .....	D10/81
9,358,672	B2	5/2016	Gauthier et al.	
D781,733	S *	3/2017	Fernandes .....	D10/81
D782,269	S	3/2017	Bast et al.	
D839,073	S	1/2019	Bast et al.	
2006/0191381	A1	8/2006	Gao et al.	
2006/0248987	A1	11/2006	White et al.	
2008/0243134	A1	10/2008	Limberg et al.	
2010/0180732	A1	7/2010	Gauthier et al.	

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12