



US00D968489S

(12) **United States Design Patent** (10) **Patent No.:** **US D968,489 S**
Zeiner (45) **Date of Patent:** **** Nov. 1, 2022**

(54) **CUTTING TOOL**

(56) **References Cited**

(71) Applicant: **SUMITOMO ELECTRIC HARDMETAL CORP.**, Itami (JP)

(72) Inventor: **Christoph Zeiner**, Willich (DE)

(73) Assignee: **SUMITOMO ELECTRIC HARDMETAL CORP.**, Itami (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/825,683**

(22) Filed: **Feb. 3, 2022**

U.S. PATENT DOCUMENTS

1,746,716 A	2/1930	Sasse	
3,518,737 A	7/1970	Hood	
D220,920 S *	6/1971	Cochran	D15/139
4,340,325 A *	7/1982	Gowanlock	B23B 27/045 D15/139
D278,716 S *	5/1985	Pano	D15/139
D284,011 S *	5/1986	Pano	D15/139
5,184,925 A	2/1993	Woods et al.	
D365,112 S *	12/1995	Wiman	D15/139
D470,516 S *	2/2003	Andersson	D15/139
D477,003 S *	7/2003	Muren	D15/139
D481,047 S *	10/2003	Brockett	D15/139
D527,400 S *	8/2006	Konet	D15/139
D535,312 S *	1/2007	Simpson, III	D15/139
D550,730 S *	9/2007	Nicholas	D15/140
D595,750 S *	7/2009	Ericksson	D15/139

(Continued)

Related U.S. Application Data

(62) Division of application No. 29/762,416, filed on Dec. 16, 2020.

Primary Examiner — Patricia A Palasik

(74) *Attorney, Agent, or Firm* — Faegre Drinker Biddle & Reath LLP

(30) **Foreign Application Priority Data**

Jun. 25, 2020	(JP)	2020-012813 D
Jun. 25, 2020	(JP)	2020-012814 D
Jun. 25, 2020	(JP)	2020-012815 D
Jun. 25, 2020	(JP)	2020-012816 D

(51) **LOC (13) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/139**

(58) **Field of Classification Search**
USPC D8/20, 70; D15/126, 131, 138, 139, 140
CPC B23B 27/145; B23B 27/1622; B23B 2200/048; B23B 2200/204; B23B 2200/085; B23B 2200/0416; B23B 2200/0423; B23B 2200/0477; B23B 2200/0494; B23C 5/205; B23C 5/207

See application file for complete search history.


(57) **CLAIM**

The ornamental design for a cutting tool, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a cutting tool in accordance with an embodiment of the present design;
FIG. 2 is a rear view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a first perspective view thereof;
FIG. 8 is a second perspective view thereof; and,
FIG. 9 is a referential view showing the state in use thereof.
The broken lines shown in the drawings represent portions of the cutting tool that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D595,751 S 7/2009 Sakata et al.
D607,025 S * 12/2009 Niemi D15/139
D688,716 S * 8/2013 Lampe D15/139
D700,639 S * 3/2014 Choi D15/139
D700,640 S * 3/2014 Choi D15/139
D718,357 S * 11/2014 Park D15/139
D805,564 S * 12/2017 Lee B23C 5/00
D15/139
D805,566 S * 12/2017 Oh B25C 5/06
D15/139
D823,089 S 7/2018 Shikama
D838,755 S 1/2019 Takahashi
D844,684 S 4/2019 Ojanen
D845,360 S * 4/2019 Kobayashi D15/139
D847,883 S * 5/2019 Kobayashi D15/139
D898,085 S * 10/2020 Kim B23C 5/202
D15/139
D900,893 S 11/2020 English
D908,752 S * 1/2021 Nagafuchi B23B 27/145
D15/139
D922,460 S 6/2021 Park et al.
D924,950 S 7/2021 Wen et al.
D936,713 S * 11/2021 Endoh D15/139
2003/0077134 A1 4/2003 Moser et al.
2013/0051940 A1 2/2013 Hobohm et al.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

