

US00D980693S

(12) **United States Design Patent**
Bertani

(10) **Patent No.:** **US D980,693 S**
(45) **Date of Patent:** **** Mar. 14, 2023**

(54) **DOOR HANDLE WITH A SAFETY LOCK**

(71) Applicant: **ELESA S.p.A.**, Milan (IT)

(72) Inventor: **Alberto Bertani**, Monza (IT)

(73) Assignee: **ELESA S.P.A.**, Milan (IT)

(**) Term: **15 Years**

(21) Appl. No.: **35/511,951**

(22) Filed: **May 17, 2021**

(80) **Hague Agreement Data**

Int. Filing Date: **May 17, 2021**

Int. Reg. No.: **DM/214468**

Int. Reg. Date: **May 17, 2021**

Int. Reg. Pub. Date: **Jun. 4, 2021**

(51) **LOC (14) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/331**

(58) **Field of Classification Search**
USPC D8/330, 331, 336, 337, 338, 339, 341,
D8/342, 343, 350, 352, 353
CPC ... E05B 9/00; E05B 9/08; E05B 9/002; E05B
47/00; E05B 63/00; E05B 63/0004; E05B
63/06; E05B 51/00; E05B 55/00; E05B
1/0007; E05B 47/068; E05B 2047/0017;
E05B 2047/002; E05B 49/00; E05B
47/0657; E05B 45/06; E05B 2047/0068;
E05B 47/02; E05B 47/06; E05B 63/04;
E05B 55/005; E05B 47/0043; E05B 3/00;
E05B 47/0012; E05B 47/0603
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D391,143 S * 2/1998 Jancsek D8/338
D406,040 S * 2/1999 Kuehn D8/301
D543,825 S * 6/2007 Witte D8/302
D566,522 S * 4/2008 Tobey D8/339

7,681,424 B2 * 3/2010 Antonucci E05B 1/0092
70/279.1
D640,525 S * 6/2011 Min D8/331
D706,110 S * 6/2014 Williams D8/331
D792,752 S * 7/2017 Chung D8/315
D794,414 S * 8/2017 Chou D8/350
D813,012 S * 3/2018 Valencich D8/302
D843,810 S * 3/2019 Hall D8/316
D861,460 S * 10/2019 Ronge D8/353
D868,563 S * 12/2019 Wong D8/331
D876,200 S * 2/2020 Wong D8/330
D876,923 S * 3/2020 Wong D8/331
D904,160 S * 12/2020 Jin D8/331
D904,161 S * 12/2020 Li D8/331
D904,162 S * 12/2020 Jin D8/331

(Continued)

OTHER PUBLICATIONS

“M.443 ESD—Bridge Handles.” Elesa., Jun. 19, 2020 [online],
[retrieved on Jun. 9, 2022]. Retrieved from the Internet <URL:
https://www.elesa.com/siteassets/PDF/PDF_US/M.443%20ESD.pdf>.*

(Continued)

Primary Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP


(57) **CLAIM**

The ornamental design for a door handle with a safety lock,
as shown and described.

DESCRIPTION

1. Door handle with safety lock
1.1 is a front elevation view of a door handle with a safety
lock embodying my new design;
1.2 is a top plan view thereof;
1.3 is a bottom plan view thereof;
1.4 is a right side elevation view thereof;
1.5 is a left side elevation view thereof; and
1.6 is a perspective view thereof.
The broken lines shown in the figures illustrate portions of
the door handle that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS


D904,163	S	*	12/2020	Jin	D8/331
D904,164	S	*	12/2020	Jin	D8/331
D904,165	S	*	12/2020	Jin	D8/331
D904,166	S	*	12/2020	Jin	D8/331
D906,086	S	*	12/2020	Qinggui	D8/331
D906,087	S	*	12/2020	Zheng	D8/331
D916,577	S	*	4/2021	Min	D8/330
D922,852	S	*	6/2021	Bae	D8/330
D936,454	S	*	11/2021	Guo	G07C 9/00
						D8/331
D945,854	S	*	3/2022	Griesbach	D8/331
2013/0241694	A1	*	9/2013	Sharma	H01Q 9/0407
						340/5.64

OTHER PUBLICATIONS


“EBR-CH—Handle with safety locking device.” Elesa., Jan. 15, 2021 [online], [retrieved on Jun. 9, 2022]. Retrieved from the Internet <URL: https://www.elesa.com/siteassets/PDF/PDF_US/EBR-CH.pdf>.*

* cited by examiner


1.1




1.2




1.3



1.4



1.5



1.6

