



US00D986331S

(12) **United States Design Patent**
Zhou

(10) **Patent No.:** **US D986,331 S**

(45) **Date of Patent:** **** May 16, 2023**

(54) **GAMEPAD**

(71) Applicant: **SHENZHEN CHT TECHNOLOGY CO., LTD**, Shenzhen (CN)

(72) Inventor: **Zejun Zhou**, Shenzhen (CN)

(73) Assignee: **SHENZHEN CHT TECHNOLOGY CO., LTD**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/798,246**

(22) Filed: **Jul. 7, 2021**

(30) **Foreign Application Priority Data**

Jul. 3, 2021 (CN) 202130418865.0

(51) **LOC (14) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/333**

(58) **Field of Classification Search**
USPC D21/324, 332-337, 566, 572-574, 328;
D14/217, 218, 356, 387, 388, 389, 400,
D14/401, 415, 418, 426-431, 443, 447,
D14/449, 450, 454, 455, 471, 474, 483,
D14/496, 511; D13/164, 168
CPC A63F 9/02; A63F 9/24; A63F 9/029; A63F
9/0252; A63F 13/00; A63F 13/23; A63F
13/24; A63F 13/26; A63F 13/98; A63F
13/02; A63F 13/12; A63F 9/0291; A63F
9/00; A63F 2300/00; A63F 2300/1031
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D710,945 S * 8/2014 Biheller D14/401
D736,859 S * 8/2015 Joynes D14/401
D815,211 S * 4/2018 Buller D21/333

D875,180 S * 2/2020 Wang D21/333
D884,796 S * 5/2020 Zhou D14/401
D909,481 S * 2/2021 Liu D21/333
D912,153 S * 3/2021 Ehara D14/401
D912,155 S * 3/2021 Yang D21/333
D928,884 S * 8/2021 Zhou D21/333
D937,933 S * 12/2021 Tong D14/401
D946,658 S * 3/2022 Feng D21/332
D953,435 S * 5/2022 Hu D14/401
D953,436 S * 5/2022 Hu D21/333
D953,437 S * 5/2022 Hu D21/333
D953,438 S * 5/2022 Liang D21/333
D954,151 S * 6/2022 Lv D21/333
D955,388 S * 6/2022 Zhou D14/401
D956,141 S * 6/2022 Liang D21/333
D959,558 S * 8/2022 Xiao D14/401
D960,987 S * 8/2022 Tang D21/333
11,508,137 B2 * 11/2022 Ogura G06T 19/20
11,511,186 B2 * 11/2022 VanWyk G06F 3/03547
D973,776 S * 12/2022 Lv D21/333
2020/0155928 A1 * 5/2020 Guo A63F 13/98
2022/0323857 A1 * 10/2022 Khaira A63F 13/23

(Continued)

Primary Examiner — Mehri F Bajoul


(57) **CLAIM**

The ornamental design for a gamepad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a gamepad showing my new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The broken lines in the drawings depict portions of the gamepad that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2022/0331688 A1 * 10/2022 Khaira A63F 13/235
2022/0339533 A1 * 10/2022 Schoenith A63F 13/24
2022/0347564 A1 * 11/2022 Khaira A63F 13/214

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8